## Author Index


Abdelnasser, M.A.
—, Deutsch, E. and Heineman, W.R.
Anion-exchange high-performance liquid chromatography of technetium-labeled phosphonoacetic acid skeletal imaging agent preparations 463
Adam, M., see Deyl, Z. 161
—, see Macek, J. 267
Albeck, H.
—, Woodfield, S. and Kreek, M.J.
Quantitative and pharmacokinetic analysis of naloxone in plasma using high-performance liquid chromatography with electrochemical detection and solid-phase extraction 435
Ardlie, N.G., see Selley, M.L. 329
Ariga, T., see El Rassi, Z. 229
Avery, M.J.
Determination of aromatic amines in urine and serum 470
Bartlett, M.R., see Selley, M.L. 329
Baumann, A., see Zschiesche, M. 482
Bayne, W.F., see Constanzer, M.L. 476
Beers, C.J.T. van, see Van Tellingen, O. 379
Beijnen, J.H., see Van Tellingen, O. 379
Boulton, A.A.
—, Durden, D.A. and Davis, B.A.
Isolation, separation and analysis in neurochemistry: trace amines and acids as an illustrative example 129
Bradford, III, W.W., see Peters, J.H. 301
Bupp, J.E., see Peters, J.H. 301
Chaiken, I.M.
Bioaffinity chromatography: synergy between interactive chromatography and molecular recognition for the separation and analysis of macromolecules 145
Chessebeuf-Padieu, M., see Diez Ibañez, M.A. 237
Chichila, T.M.P.
—, Edlund, P.O., Henion, J.D., Wilson, R. and Epstein, R.L.
Determination of melengestrol acetate in bovine tissues by automated coupled-column normal-phase high-performance liquid chromatography 389
Constanzer, M.L.
—, Matuszewski, B.K., Hsieh, J.K. and Bayne, W.F.
Determination of picogram levels of a novel $\alpha_2$-adrenergic receptor antagonist in plasma using solid-phase extraction and capillary gas chromatography with nitrogen-selective detection 476
Davis, B.A., see Boulton, A.A. 129
Degen, P.H., see Schneider, W. 275
De Jong, E.G., see Leloux, M.S. 357
Deutsch, E., see Abdelnasser, M.A. 463
Devissaguet, M., see Tsaconas, C. 249
Deyl, Z.
— and Adam, M.
Separation methods for the study of collagen and treatment of collagen disorders 161
De Zeeuw, R.A.
Modern chromatographic procedures in systematic toxicological analysis 199
Diez Ibañez, M.A.
—, Chessebeuf-Padieu, M. and Padieu, P.
Gas chromatographic–mass spectrometric study of deacetylation and oxidation of 2-acetylaminofluorene by rat liver epithelial cell lines upon cocarcinogen induction 237
Dorizzi, R., see Tagliaro, F. 215
Dunphy, M.J.
— and Smith, D.J.
Quantitation of N,N,N′,N′-tetrakis(2-hydroxypropyl)ethylenediamine in plasma by gas chromatography 369
Durden, D.A., see Boulton, A.A. 129
Edlund, P.O., see Chichila, T.M.P. 389
Edwards, D., see Vekey, K. 73
Egestad, B., see Uusijärvi, J. 87
Eksborg, S.
— and Nilsson, B.
Reversed-phase liquid chromatographic determination of idarubicin and its 13-hydroxy metabolite in human plasma 427
El Rassi, Z.
—, Horváth, Cs., Yu, R.K. and Ariga, T.
High-performance liquid chromatography of sialooligosaccharides and gangliosides 229
Epstein, R.L., see Chichila, T.M.P. 389
Franchi, D., see Tagliaro, F. 215
Garvie, C.T., see Rhodes, G.R. 456
Gleispach, H., see Malle, E. 283
Godin, J.
— and Hellier, G.
Méthode de dosage de la nicotine et de la cotinine dans l'urine par chromatographie liquide à haute performance 487

Gordon, G.R., see Peters, J.H. 301
Grafnetterová, J., see Klíma, J. 295
Haginaka, J.
—, Wakai, J. and Yasuda, H.
Direct serum injection in micellar liquid chromatography. Recovery of serum proteins and assay of hydrophilic drugs 341
Hagiwara, M., see Hosaki, S. 503
Hais, I.M.
Chromatography beyond analytical chemistry 25
Hapel, A.J., see Selley, M.L. 329
Heineman, W.R., see Abdelnasser, M.A. 463
Hellier, G., see Godin, J. 487
Henion, J.D., see Chichila, T.M.P. 389
Horváth, Cs., see El Rassi, Z. 229
Hosaki, S.
—, Sawamoto, J., Hagiwara, M., Kusano, T., Oda, H. and Shiina, S.-I.
Stability of serum γ-glutamyltranspeptidase fractionated by gel permeation using high-performance liquid chromatography and fast protein liquid chromatography 503
Hsieh, J.K., see Constanzer, M.L. 476
Iinuma, F., see Mawatari, K.-I. 349
Jellum, E.
— and Thorsrud, A.K.
Profiling cells and body fluids - chromatography and two-dimensional electrophoresis as complementary techniques 105
Jong, E.G. de, see Leloux, M.S. 357
Keller, B., see Schneider, W. 275
Kissinger, P.T.
Biomedical applications of liquid chromatography–electrochemistry 31
Klíma, J.
—, Grafnetterová, J., Kubelka, Z. and Klíma, Jin.
Therapeutic monitoring of metipamide during antihypertensive therapy 295
Klíma, Jin., see Klíma, J. 295
Klinkmüller, K.D., see Winckler, K. 417
Kostner, G.M., see Malle, E. 283
Kreek, M.J., see Albeck, H. 435
Krstulović, A.M.
Racemates versus enantiomerically pure drugs: putting high-performance liquid chromatography to work in the selection process 53
Kubelka, Z., see Klíma, J. 295
Kusano, T., see Hosaki, S. 503
Kwong, E., see Laganière, S. 407
Lacey, M.J., see Selley, M.L. 329
Laganière, S.
—, Kwong, E. and Shen, D.D.
Stereoselective high-performance liquid chromatographic assay for propranolol enantiomers in serum 407
Lederer, M.
The role of chromatography and electrophoresis in biomedical sciences 5
Leis, H.J., see Malle, E. 283
Leloux, M.S.
—, De Jong, E.G. and Maes, R.A.A.
Improved screening method for beta-blockers in urine using solid-phase extraction and capillary gas chromatography–mass spectrometry 357
Lemmer, B., see Wang, N.-S. 492
Lichý, A., see Macek, J. 267
Macek, J.
—, Lichý, A., Pešáková, V. and Adam, M.
Determination of radiolabelled proline and hydroxyproline in collagen hydrolysates by high-performance liquid chromatography with on-line radiometric detection 267
McGuiness, J.A., see Selley, M.L. 329
Maes, R.A.A., see Leloux, M.S. 357
Mahara, R., see Shoda, J. 315
Malle, E.
—, Gleispach, H., Kostner, G.M. and Leis, H.J.
Isotope dilution gas chromatography–mass spectrometry for the study of eicosanoid metabolism in human blood platelets 283
Marigo, M., see Tagliaro, F. 215
Matsuura, K., see Shoda, J. 315
Matsuzaki, Y., see Shoda, J. 315
Matuszewski, B.K., see Constanzer, M.L. 476
Mawatari, K.-I.
—, Iinuma, F. and Watanabe, M.
Fluorimetric determination of kynurenine in human serum by high-performance liquid chromatography coupled with post-column photochemical reaction with hydrogen peroxide 349
Miyazaki, H., see Shoda, J. 315
Moncrieff, J.
— and Simpson, D.
Determination of metoprolol and its α-hydroxy metabolite in urine by direct-injection reversed-phase high-performance liquid chromatography with fluorimetric detection 498
Nilsson, B., see Eksborg, S. 427
Nolen, III, H.W., see Peters, J.H. 301
Nooyen, W.J., see Van Tellingen, O. 379
Nordgren, T., see Pettersson, K.-J. 447

Oda, T., see Hosaki, S. 503
Osuga, T., see Shoda, J. 315
Padieu, P., see Diez Ibañez, M.A. 237
—, see Tsaconas, C. 249
Pesáková, V., see Macek, J. 267
Peters, J.H.
—, Nolen, III, H.W., Gordon, G.R., Bradford, III, W.W., Bupp, J.E. and Reist, E.J.
Combined chromatographic–isotopic dilution analysis of fecapentaenes in human feces 301
Pettersson, K.-J.
—, Nordgren, T. and Westerlund, D.
Determination of phosphonoformate (foscarnet) in biological fluids by ion-pair reversed-phase liquid chromatography 447
Rassi, Z. El., see El Rassi, Z. 229
Reist, E.J., see Peters, J.H. 301
Rejholcová, M., see Vácha, J. 506
Rhodes, G.R.
—, Rubenfield, M.J. and Garvie, C.T.
Determination of a disulfide-containing octapeptide antagonist of vasopressin in human plasma utilizing high-performance liquid chromatography with fluorescence detection 456
Rubenfield, M.J., see Rhodes, G.R. 456
Sawamoto, J., see Hosaki, S. 503
Schmahl, H.-J., see Winckler, K. 417
Schneider, W.
—, Keller, B. and Degen, P.H.
Determination of the new monoamine oxidase inhibitor brofaromine and its major metabolite in biological material by gas chromatography with electron-capture detection 275
Selley, M.L.
—, Bartlett, M.R., McGuiness, J.A., Hapel, A.J., Ardlie, N.G. and Lacey, M.J.
Determination of the lipid peroxidation product *trans*-4-hydroxy-2-nonenal in biological samples by high-performance liquid chromatography and combined capillary column gas chromatography–negative-ion chemical ionisation mass spectrometry 329
Shen, D.D., see Laganière, S. 407
Shiina, S.-I., see Hosaki, S. 503
Shoda, J.
—, Osuga, T., Mahara, R., Tohma, M., Matsuura, K., Tanaka, N., Matsuzaki, Y. and Miyazaki, H.
Altered metabolism of bile acids in cholestasis: determination of 1$\beta$- and 6$\alpha$-hydroxylated metabolites 315
Simpson, D., see Moncrieff, J. 498
Sjövall, J., see Uusijärvi, J. 87
Smith, D.J., see Dunphy, M.J. 369
Tagliaro, F.
—, Franchi, D., Dorizzi, R. and Marigo, M.
High-performance liquid chromatographic determination of morphine in biological samples: an overview of separation methods and detection techniques 215
Tanaka, N., see Shoda, J. 315
Tellingen, O. van, see Van Tellingen, O. 379
Thorsrud, A.K., see Jellum, E. 105
Tkaczyková, M., see Vácha, J. 506
Tohma, M., see Shoda, J. 315
Tsaconas, C.
—, Devissaguet, M. and Padieu, P.
Gas chromatography–mass spectrometry of Perindopril and its active free metabolite, an angiotensin convertase inhibitor: choice of derivatives and ionization modes 249
Uusijärvi, J.
—, Egestad, B. and Sjövall, J.
Manual and automated enrichment procedures for biological samples using lipophilic gels 87
Vácha, J.
—, Tkaczyková, M. and Rejholcová, M.
Determination of sodium azide in the presence of proteins by high-performance liquid chromatography 506
Van Beers, C.J.T., see Van Tellingen, O. 379
Van der Woude, H.R., see Van Tellingen, O. 379
Van Tellingen, O.
—, Van der Woude, H.R., Beijnen, J.H., Van Beers, C.J.T. and Nooyen, W.J.
Stable and sensitive method for the simultaneous determination of $N^5$-methyltetrahydrofolate, leucovorin, methotrexate and 7-hydroxymethotrexate in biological fluids 379
Vekey, K.
—, Edwards, D. and Zerilli, L.F.
Liquid chromatography–mass spectrometry coupling and its application in pharmaceutical research 73
Wakai, J., see Haginaka, J. 341
Wang, N.-S.
— and Lemmer, B.
Determination of citalopram in plasma and brain tissue of the rat by high-performance liquid chromatography with ultraviolet detection 492
Watanabe, M., see Mawatari, K.-I. 349

Westerlund, D., see Pettersson, K.-J. 447
Wilson, R., see Chichila, T.M.P. 389
Winckler, K.
—, Klinkmüller, K.D. and Schmahl, H.-J.
Determination of the thalidomide analogues 2-(2,6-dioxopiperidine-3-yl)phthalimidine (EM 12), 2-(2,6-dioxopiperidine-4-yl)phthalimidine (EM 16) and their metabolites in biological samples 417
Woodfield, S., see Albeck, H. 435
Woude, H.R. van der, see Van Tellingen, O. 379
Yasuda, H., see Haginaka, J. 341
Yu, R.K., see El Rassi, Z. 229
Zeeuw, R.A. de, see De Zeeuw, R.A. 199
Zerilli, L.F., see Vekey, K. 73
Zschiesche, M.
— and Baumann, A.
Determination of the β-adrenoceptor blocking drug B24/76 in serum by high-performance liquid chromatography with fluorimetric detection after pre-column dansylation 482

## Subject Index


2-Acetylaminofluorene
GC–MS study of deacetylation and oxidation of 2-acetylaminofluorene by rat liver epithelial cell lines upon cocarcinogen induction 237

N-Acetylneuraminic acid
HPLC of sialooligosaccharides and gangliosides 229

Acids
Isolation, separation and analysis in neurochemistry: trace amines and acids as an illustrative example 129

$\alpha_2$-Adrenergic receptor antagonist
Determination of picogram levels of a novel $\alpha_2$-adrenergic receptor antagonist in plasma using solid-phase extraction and capillary GC with nitrogen-selective detection 476

$\beta$-Adrenoceptor blocking drug
Determination of the $\beta$-adrenoceptor blocking drug B24/76 in serum by HPLC with fluorimetric detection after pre-column dansylation 482

Amines
Isolation, separation and analysis in neurochemistry: trace amines and acids as an illustrative example 129

Amines
Determination of aromatic amines in urine and serum 470

9-Aminoanthracene
Determination of aromatic amines in urine and serum 470

2-Aminobiphenyl
Determination of aromatic amines in urine and serum 470

B24/76
Determination of the $\beta$-adrenoceptor blocking drug B24/76 in serum by HPLC with fluorimetric detection after pre-column dansylation 482

Bile acids
Manual and automated enrichment procedures for biological samples using lipophilic gels 87

Bile acids
Altered metabolism of bile acids in cholestasis: determination of 1$\beta$- and 6$\alpha$-hydroxylated metabolites 315

Bioaffinity chromatography
Bioaffinity chromatography: synergy between interactive chromatography and molecular recognition for the separation and analysis of macromolecules 145

Biomedical sciences, role of chromatography and electrophoresis
The role of chromatography and electrophoresis in biomedical sciences 5

$\beta$-Blockers
Improved screening method for $\beta$-blockers in urine using solid-phase extraction and capillary GC–MS 357

$\beta$-Blockers
Stereoselective HPLC assay for propranolol enantiomers in serum 407

$\beta$-Blockers
Determination of the $\beta$-adrenoceptor blocking drug B24/76 in serum by HPLC with fluorimetric detection after pre-column dansylation 482

$\beta$-Blockers
Determination of metoprolol and its $\alpha$-hydroxy metabolite in urine by direct-injection reversed-phase HPLC with fluorimetric detection 498

Body fluids
Profiling cells and body fluids – chromatography and two-dimensional electrophoresis as complementary techniques 105

Brofaromine
Determination of the new monoamine oxidase inhibitor brofaromine and its major metabolite in biological material by GC with electron-capture detection 275

Cells
Profiling cells and body fluids – chromatography and two-dimensional electrophoresis as complementary techniques 105

Cephalosporins
Direct serum injection in micellar LC. Recovery of serum proteins and assay of hydrophilic drugs 341

Chiral stationary phases, LC
Racemates versus enantiomerically pure drugs: putting HPLC to work in the selection process 53

Chromatography
Chromatography beyond analytical chemistry 25

Chromatography, biomedical application
The role of chromatography and electrophoresis in biomedical sciences 5

Citalopram
Determination of citalopram in plasma and brain tissue of the rat by HPLC with UV detection 492
Collagen
Separation methods for the study of collagen and treatment of collagen disorders 161
Collagen
Determination of radiolabelled proline and hydroxyproline in collagen hydrolysates by HPLC with on-line radiometric detection 267
Cotinine
Quantitative determination of nicotine and cotinine in urine by HPLC 487
O-Desmethylbrofaromine
Determination of the new monoamine oxidase inhibitor brofaromine and its major metabolite in biological material by GC with electron-capture detection 275
Detectors
Biomedical applications of LC–electrochemistry 31
4,4′-Diaminophenylmethane
Determination of aromatic amines in urine and serum 470
DL-1-(2,4-Dichlorophenoxy)-3-[2-(3,4-dimethoxy)phenethylamino]propan-2-ol hydrochloride
Determination of the β-adrenoceptor blocking drug B24/76 in serum by HPLC with fluorimetric detection after pre-column dansylation 482
2-(2,6-Dioxopiperidine-3-yl)phthalimidine
Determination of the thalidomide analogues 2-(2,6-dioxopiperidine-3-yl)phthalimidine (EM 12), 2-(2,6-dioxopiperidine-4-yl)phthalimidine (EM 16) and their metabolites in biological samples 417
2-(2,6-Dioxopiperidine-4-yl)phthalimidine
Determination of the thalidomide analogues 2-(2,6-dioxopiperidine-3-yl)phthalimidine (EM 12), 2-(2,6-dioxopiperidine-4-yl)phthalimidine (EM 16) and their metabolites in biological samples 417
Disulphide-containing octapeptide antagonist of vasopressin
Determination of a disulfide-containing octapeptide antagonist of vasopressin in human plasma utilizing HPLC with fluorescence detection 456
Drugs
Racemates versus enantiomerically pure drugs: putting HPLC to work in the selection process 53
Drugs, hydrophilic
Direct serum injection in micellar LC. Recovery of serum proteins and assay of hydrophilic drugs 341
Dual-channel detectors
Biomedical applications of LC–electrochemistry 31
Eicosanoids
Isotope dilution GC–MS for the study of eicosanoid metabolites in human blood platelets 283
Electrochemistry
Biomedical applications of LC–electrochemistry 31
Electrophoresis, biomedical application
The role of chromatography and electrophoresis in biomedical sciences 5
Enantiomer separation
Racemates versus enantiomerically pure drugs: putting HPLC to work in the selection process 53
Enzymes
Stability of serum γ-glutamyltranspeptidase fractionated by gel permeation using HPLC and fast protein LC 503
Ethynylic steroids
Manual and automated enrichment procedures for biological samples using lipophilic gels 87
Fecapentaenes
Combined chromatographic–isotopic dilution analysis of fecapentaenes in human feces 301
Foscarnet
Determination of phosphonoformate (foscarnet) in biological fluids by ion-pair reversed-phase LC 447
Gangliosides
HPLC of sialooligosaccharides and gangliosides 229
γ-Glutamyltranspeptidase
Stability of serum γ-glutamyltranspeptidase fractionated by gel permeation using HPLC and fast protein LC 503
N-Glycolylneuraminic acid
HPLC of sialooligosaccharides and gangliosides 229
Hydroxyeicosatetraenoic acids
Isotope dilution GC–MS for the study of eicosanoid metabolites in human blood platelets 283
Hydroxyheptadecatrienoic acid
Isotope dilution GC–MS for the study of eicosanoid metabolites in human blood platelets 283

7-Hydroxymethotrexate
Stable and sensitive method for the simultaneous determination of $N^5$-methyltetrahydrofolate, leucovorin, methotrexate and 7-hydroxymethotrexate in biological fluids 379
$\alpha$-Hydroxymetoprolol
Determination of metoprolol and its $\alpha$-hydroxy metabolite in urine by direct-injection reversed-phase HPLC with fluorimetric detection 498
*trans*-4-Hydroxy-2-nonenal
Determination of the lipid peroxidation product *trans*-4-hydroxy-2-nonenal in biological samples by HPLC and combined capillary column GC–negative-ion chemical ionisation MS 329
Hydroxyproline
Determination of radiolabelled proline and hydroxyproline in collagen hydrolysates by HPLC with on-line radiometric detection 267
Idarubicin
Reversed-phase LC determination of idarubicin and its 13-hydroxy metabolite in human plasma 427
Idarubicinol
Reversed-phase LC determination of idarubicin and its 13-hydroxy metabolite in human plasma 427
Interfaces, LC–MS
LC–MS coupling and its application in pharmaceutical research 73
Kynurenine
Fluorimetric determination of kynurenine in human serum by HPLC coupled with post-column photochemical reaction with hydrogen peroxide 349
Labile compounds, LC–MS
LC–MS coupling and its application in pharmaceutical research 73
Leucovorin
Stable and sensitive method for the simultaneous determination of $N^5$-methyltetrahydrofolate, leucovorin, methotrexate and 7-hydroxymethotrexate in biological fluids 379
Lipids
Combined chromatographic–isotopic dilution analysis of fecapentaenes in human feces 301
Lipophilic gels
Manual and automated enrichment procedures for biological samples using lipophilic gels 87
Liquid chromatography–electrochemistry
Biomedical applications of LC–electrochemistry 31
Liquid chromatography–mass spectrometry
LC–MS coupling and its application in pharmaceutical research 73
Macromolecules
Bioaffinity chromatography: synergy between interactive chromatography and molecular recognition for the separation and analysis of macromolecules 145
Melengestrol acetate
Determination of melengestrol acetate in bovine tissues by automated coupled-column normal-phase HPLC 389
Methotrexate
Stable and sensitive method for the simultaneous determination of $N^5$-methyltetrahydrofolate, leucovorin, methotrexate and 7-hydroxymethotrexate in biological fluids 379
$N^5$-Methyltetrahydrofolate
Stable and sensitive method for the simultaneous determination of $N^5$-methyltetrahydrofolate, leucovorin, methotrexate and 7-hydroxymethotrexate in biological fluids 379
Metipamide
Therapeutic monitoring of metipamide during antihypertensive therapy 295
Metoprolol
Determination of metoprolol and its $\alpha$-hydroxy metabolite in urine by direct-injection reversed-phase HPLC with fluorimetric detection 498
Microdialysis sampling
Biomedical applications of LC–electrochemistry 31
Mono-(2-ethylhexyl) phthalate
Manual and automated enrichment procedures for biological samples using lipophilic gels 87
Morphine
HPLC determination of morphine in biological samples: an overview of separation methods and detection techniques 215
Naloxone
Quantitative and pharmacokinetic analysis of naloxone in plasma using HPLC with electrochemical detection and solid-phase extraction 435
Natural processes
Chromatography beyond analytical chemistry 25

Nicotine
Quantitative determination of nicotine and cotinine in urine by HPLC 487
Octopamines
Isolation, separation and analysis in neurochemistry: trace amines and acids as an illustrative example 129
Oligosaccharides
HPLC of sialooligosaccharides and gangliosides 229
Peptides
Separation methods for the study of collagen and treatment of collagen disorders 161
Perindopril
GC–MS of Perindopril and its active free metabolite, an angiotensin convertase inhibitor: choice of derivatives and ionization modes 249
Phenolic acids
Manual and automated enrichment procedures for biological samples using lipophilic gels 87
β-Phenylethylamine
Isolation, separation and analysis in neurochemistry: trace amines and acids as an illustrative example 129
Phosphonoacetic acid
Anion-exchange HPLC of technetium-labeled phosphonoacetic acid skeletal imaging agent preparations 463
Phosphonoformate
Determination of phosphonoformate (foscarnet) in biological fluids by ion-pair reversed-phase LC 447
Preparative separations
Chromatography beyond analytical chemistry 25
Profiling techniques
Profiling cells and body fluids – chromatography and two-dimensional electrophoresis as complementary techniques 105
Proline
Determination of radiolabelled proline and hydroxyproline in collagen hydrolysates by HPLC with on-line radiometric detection 267
Propranolol enantiomers
Stereoselective HPLC assay for propranolol enantiomers in serum 407
Prostaglandin $F_{2\alpha}$
Isotope dilution GC–MS for the study of eicosanoid metabolites in human blood platelets 283
Proteins
Direct serum injection in micellar LC. Recovery of serum proteins and assay of hydrophilic drugs 341
Proteins
Determination of sodium azide in the presence of proteins by HPLC 506
Racemates
Racemates versus enantiomerically pure drugs: putting HPLC to work in the selection process 53
Salicylic acid
Direct serum injection in micellar LC. Recovery of serum proteins and assay of hydrophilic drugs 341
Sample preparation
Manual and automated enrichment procedures for biological samples using lipophilic gels 87
Sialooligosaccharides
HPLC of sialooligosaccharides and gangliosides 229
SK&F 101 926
Determination of a disulfide-containing octapeptide antagonist of vasopressin in human plasma utilizing HPLC with fluorescence detection 456
Sodium azide
Determination of sodium azide in the presence of proteins by HPLC 506
Steroids
Manual and automated enrichment procedures for biological samples using lipophilic gels 87
Structure–activity relationship
Chromatography beyond analytical chemistry 25
Surface properties
Chromatography beyond analytical chemistry 25
Synephrines
Isolation, separation and analysis in neurochemistry: trace amines and acids as an illustrative example 129
Systematic toxicological analysis
Modern chromatographic procedures in systematic toxicological analysis 199
Teaching aid
Chromatography beyond analytical chemistry 25
Technetium
Anion-exchange HPLC of technetium-labeled phosphonoacetic acid skeletal imaging agent preparations 463

Tetrahydroxy-5$\beta$-cholanoic acids
Altered metabolism of bile acids in cholestasis: determination of 1$\beta$- and 6$\alpha$-hydroxylated metabolites 315
N,N,N′,N′-Tetrakis(2-hydroxypropyl)-ethylenediamine
Quantitation of N,N,N′,N′-tetrakis(2-hydroxypropyl)ethylenediamine in plasma by GC 369
Thalidomide analogues
Determination of the thalidomide analogues 2-(2,6-dioxopiperidine-3-yl)phthalimidine (EM 12), 2-(2,6-dioxopiperidine-4-yl)phthalimidine (EM 16) and their metabolites in biological samples 417
Thromboxane $B_2$
Isotope dilution GC–MS for the study of eicosanoid metabolites in human blood platelets 283
Toxicological analysis
Modern chromatographic procedures in systematic toxicological analysis 199
Trace amines
Isolation, separation and analysis in neurochemistry: trace amines and acids as an illustrative example 129
Trihydroxy-5$\beta$-cholanoic acids
Altered metabolism of bile acids in cholestasis: determination of 1$\beta$- and 6$\alpha$-hydroxylated metabolites 315
Tryptamine
Isolation, separation and analysis in neurochemistry: trace amines and acids as an illustrative example 129
Tyramines
Isolation, separation and analysis in neurochemistry: trace amines and acids as an illustrative example 129
Vasopressin antagonist
Determination of a disulfide-containing octapeptide antagonist of vasopressin in human plasma utilizing HPLC with fluorescence detection 456
Visual art
Chromatography beyond analytical chemistry 25
Xenobiotic metabolism
Biomedical applications of LC–electrochemistry 31